Author Index 2006

Acampora, K B	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
Affatato, S	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Almarza, A J	Effects of ascorbic acid concentration on the tissue engineering of the temporomandibular joint disc	439
Amiri, S	Mechanics of the passive knee joint. Part 1: the role of the tibial articular surfaces in guiding the passive motion	813
Amstutz, H C	Background of metal-on-metal resurfacing	85
Aspden, R M	The biophysical effects of a single impact load on human and bovine articular cartilage	677
Athanasiou, K A	Effects of ascorbic acid concentration on the tissue engineering of the temporomandibular joint disc	439
Athanasiou, K A	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Athanasiou, K A	Design, validation, and utilization of an articular cartilage impact instrument	845
Aurora, A	Effect of lubricant composition on the fatigue properties of ultra-high molecular weight polyethylene for total knee replacement	541
Aurora, A	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
Baleani, M	Radiopacity of tantalum-loaded acrylic bone cement	787
Banu, J	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Barrett, A R W	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Barton, D C	The biomechanical response of spinal cord tissue to uniaxial loading	489
Baruffaldi, F	Radiopacity of tantalum-loaded acrylic bone cement	787
Bean, A C	Effects of ascorbic acid concentration on the tissue engineering of the temporomandibular joint disc	439
Bell, C J	Influence of hyaluronic acid on the time-dependent friction response of articular cartilage under different conditions	23
Bersaglia, G	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Beverland, D E	Intraoperative knee anthropometrics: correlation with cartilage wear	671
Bhamra, M S	Biological effects of metal-on-metal hip replacements	379
Bibb, R	A pilot study in the application of texture relief for digitally designed facial prostheses	705
Bibb, R J	Trial fitting of a removable partial denture framework made using computer-aided design and rapid prototyping techniques	793
Bingheng, Lu	Custom fabrication of composite tibial hemi-knee joint combining CAD/CAE/CAM techniques	823
Bishop, N	Biomechanical, morphological, and histological analysis of early failures in hip resurfacing arthroplasty	333
Blunn, G W	Validation of the soft tissue restraints in a force-controlled knee simulator	449
Bobyn, J D	The effect of microstructure on the wear of cobalt-based alloys used in metal-on-metal hip implants	145
Bobyn, J D	Wear particles from metal-on-metal total hip replacements: effects of implant design and implementation time	195
Bowsher, J G	'Severe' wear challenge to 'as-cast' and 'double-heat-treated' large-diameter metal-on-metal hip bearings	135
Bowsher, J G	Metal-on-metal hip simulator study of increased wear particle surface area due to 'severe' patient activity	279
Brooks, R	The effect of leg fracture level and vehicle front-end geometry on pedestrian knee injury and response	857
Brown, C	Biological effects of clinically relevant wear particles from metal-on-metal hip prostheses	355
Brown, I	Thermoelastic analysis of high-pressure angioplasty balloons	425
Buchanan, F J	Validation of the small-punch test as a technique for characterizing the mechanical properties of acrylic bone cement	11
Burgess, I C	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583

Campbell, P A	Wear particles from metal-on-metal total hip replacements: effects of implant design and implementation time	195
Case, C P	Biological effects of metal-on-metal hip replacements	379
Catelas, I	Wear particles from metal-on-metal total hip replacements: effects of implant design and implementation time	195
Chandler, M	Cementing techniques in hip resurfacing	321
Charlton, I W	A model for the prediction of the forces at the glenohumeral joint	801
Chua, Leok P	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Clough, R	Validation of the soft tissue restraints in a force-controlled knee simulator	449
Cobb, A	Development rationale for an articular surface replacement: a science-based evolution	253
Cobb, A G	The clinical significance of metal ion release from cobalt–chromium metal-on-metal hip joint arthroplasty	385
Cobb, J P	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Cooke, D	Mechanics of the passive knee joint. Part 1: the role of the tibial articular surfaces in guiding the passive motion	813
Cosmi, F	A finite element method comparison of wear in two metal-on-metal total hip prostheses	871
Cristofolini, L	On the biomechanical stability of cementless straight conical hip stems	473
Crocombe, A D	Three-dimensional finite element stress and strain analysis of a transfemoral osseointegration implant	661
Czarnecka, B	The clinical repair of teeth using direct filling materials: engineering considerations	635
Dalgarno, K W	Indirect selective laser sintering of an apatite–mullite glass–ceramic for potential use in bone replacement applications	57
Daly, C	Validation of the small-punch test as a technique for characterizing the mechanical properties of acrylic bone cement	11
Daniel, J	History and modern concepts in surface replacement	239
Davies, B	A review of magnetic resonance imaging compatible manipulators in surgery	413
Davies, B L	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Delling, G	Biomechanical, morphological, and histological analysis of early failures in hip resurfacing arthroplasty	333
DesJardins, J	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
DesJardins, J D	Effect of lubricant composition on the fatigue properties of ultra-high molecular weight polyethylene for total knee replacement	541
Dichen, Li	Custom fabrication of composite tibial hemi-knee joint combining CAD/CAE/CAM techniques	823
Dobson, C A	Three dimensional stereolithography models of cancellous bone structures from μCT data: testing and validation of finite element results	481
Donn, A	Deformation of press-fitted metallic resurfacing cups. Part 2: finite element simulation	311
Dowson, D	Metal-on-metal hip joint tribology	107
Dowson, D	Tribological principles in metal-on-metal hip joint design	161
Dowson, D	Understanding the role of corrosion in the degradation of metal-on-metal implants	173
Dowson, D	Head replacement, head rotation, and surface damage effects on metal-on-metal total hip replacements: a hip simulator study	209
Dulieu-Barton, J M	Thermoelastic analysis of high-pressure angioplasty balloons	425
Dunmore, M C	The effect of leg fracture level and vehicle front-end geometry on pedestrian knee injury and response	857
Dunne, N J	Validation of the small-punch test as a technique for characterizing the mechanical properties of acrylic bone cement	11
Eaton-Evans, J	Thermoelastic analysis of high-pressure angioplasty balloons	425
Eggbeer, D	A pilot study in the application of texture relief for digitally designed facial prostheses	705
Eggbeer, D	Trial fitting of a removable partial denture framework made using computer-aided design and rapid prototyping techniques	793
El-Deen, M	Effect of ultra-high molecular weight polyethylene thickness on contact mechanics in total knee replacement	733
Elfick, A P D	The effect of 'running in' on the tribology and surface morphology of a metal-on-metal Birmingham hip resurfacing device in simulator studies	269
Elhawary, H	A review of magnetic resonance imaging compatible manipulators in surgery	413
Evans, P L	A pilot study in the application of texture relief for digitally designed facial prostheses	705
Evans, S L	Effects of porosity on the fatigue performance of polymethyl methacrylate bone cement: an analytical investigation	1
Fagan, M J	Three dimensional stereolithography models of cancellous bone structures from μCT data: testing and validation of finite element results	481
Fancellu, G	A finite element method comparison of wear in two metal-on-metal total hip prostheses	871

 © IMechE 2006

Farahmand, F	A new approach to C^2 continuous piecewise bicubic representation of the articular surfaces of diarthrodial joints	553
Ferrandez, W	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
Fischer, A	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
Fisher, J	Influence of hyaluronic acid on the time-dependent friction response of articular cartilage under different conditions	23
Fisher, J	A simple fully integrated contact-coupled wear prediction for ultra-high molecular weight polyethylene hip implants	33
Fisher, J	Metal-on-metal bearings surfaces: materials, manufacture, design, optimization, and alternatives	119
Fisher, J	Biological effects of clinically relevant wear particles from metal-on-metal hip prostheses	355
Fisher, J	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
FitzPatrick, D	The use of the Zebris motion analysis system for measuring cervical spine movements *in vivo*	889
Fitzpatrick, D P	Intraoperative knee anthropometrics: correlation with cartilage wear	671
Flett, M	Development rationale for an articular surface replacement: a science-based evolution	253
Flett, M	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Freshwater, I J	The effect of angle on wall shear stresses in a LIMA to LAD anastomosis: numerical modelling of pulsatile flow	743
Gabriel, N	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Galvin, A L	A simple fully integrated contact-coupled wear prediction for ultra-high molecular weight polyethylene hip implants	33
García-Fiñana, M	Effect of ultra-high molecular weight polyethylene thickness on contact mechanics in total knee replacement	733
Georgiopoulos, B	*In vitro* validated finite element method model for a human skull and related craniofacial effects during rapid maxillary expansion	897
Genovese, K	Structural behaviour of endodontically treated teeth under thermomechanical loading	909
Gheduzzi, S	Clinical experience with metal-on-metal total joint replacements: indications and results	229
Gheduzzi, S	Numerical predictions of the thermal behaviour and resultant effects of grouting cements while setting prosthetic components in bone	625
Ghista, Dhanjoo N	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Gibbons, P	The stability of the femoral component of a minimal invasive total hip replacement system	465
Golestanha, A S	A new approach to C^2 continuous piecewise bicubic representation of the articular surfaces of diarthrodial joints	553
Gomes, M P S F	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Goodridge, R D	Indirect selective laser sintering of an apatite–mullite glass–ceramic for potential use in replacement applications	57
Graindorge, S	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
Grigoris, P	Hip resurfacing arthroplasty: the evolution of contemporary designs	95
Grigoris, P	Importance of head diameter, clearance, and cup wall thickness in elastohydrodynamic lubrication analysis of metal-on-metal hip resurfacing prostheses	695
Guandalini, L	Radiopacity of tantalum-loaded acrylic bone cement	787
Hahn, M	Biomechanical, morphological, and histological analysis of early failures in hip resurfacing arthroplasty	333
Hall, R M	The biomechanical response of spinal cord tissue to uniaxial loading	489
Hao, L	Albumin and fibronectin protein adsorption on CO_2-laser-modified biograde stainless steel	47
Hao, L	Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development	521
Hardaker, C	Head replacement, head rotation, and surface damage effects on metal-on-metal total hip replacements: a hip simulator study	209
Hardaker, C	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Harris, R A	Layer manufacturing for *in vivo* devices	505
Harris, R A	Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development	521
Harris, S J	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Harrison, M	Validation of the soft tissue restraints in a force-controlled knee simulator	449
Henckel, J	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Hoglievina, M	A finite element method comparison of wear in two metal-on-metal total hip prostheses	871
Houtsma, J A	Virtual reality and a haptic master–slave set-up in post-stroke upper-limb rehabilitation	715
Huang, T	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929

Huk, O L	Wear particles from metal-on-metal total hip replacements: effects of implant design and implementation time	195
Hussain, A	Metal-on-metal hip simulator study of increased wear particle surface area due to 'severe' patient activity	279
Ingham, E	Influence of hyaluronic acid on the time-dependent friction response of articular cartilage under different conditions	23
Ingham, E	Biological effects of clinically relevant wear particles from metal-on-metal hip prostheses	355
Ingham, E	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
Isaac, G	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Isaac, G	Deformation of press-fitted metallic resurfacing cups. Part 2: finite element simulation	311
Isaac, G H	Metal-on-metal bearings surfaces: materials, manufacture, design, optimization, and alternatives	119
Isaac, G H	Head replacement, head rotation, and surface damage effects on metal-on-metal total hip replacements: a hip simulator study	209
Isaac, G H	Development rationale for an articular surface replacement: a science-based evolution	253
Jakopec, M	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Jafari, A	A new approach to C^2 continuous piecewise bicubic representation of the articular surfaces of diarthrodial joints	553
Janssen, D	Finite element analysis of the long-term fixation strength of cemented ceramic cups	533
Jeffrey, J E	The biophysical effects of a single impact load on human and bovine articular cartilage	677
Jiankang, He	Custom fabrication of composite tibial hemi-knee joint combining CAD/CAE/CAM techniques	823
Jin, Z	Hip resurfacing arthroplasty: the evolution of contemporary designs	95
Jin, Z	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
Jin, Zhongmin	Importance of head diameter, clearance, and cup wall thickness in elastohydrodynamic lubrication analysis of metal-on-metal hip resurfacing prostheses	695
Jin, Z M	A simple fully integrated contact-coupled wear prediction for ultra-high molecular weight polyethylene hip implants	33
Jin, Z-M	Metal-on-metal hip joint tribology	107
Jin, Z M	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Jin, Z M	Deformation of press-fitted metallic resurfacing cups. Part 2: finite element simulation	311
Jin, Z-M	Effect of ultra-high molecular weight polyethylene thickness on contact mechanics in total knee replacement	733
Johnson, G R	A model for the prediction of the forces at the glenohumeral joint	801
Jones, E	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583
Joseph, P F	Effect of lubricant composition on the fatigue properties of ultra-high molecular weight polyethylene for total knee replacement	541
Junqiang, Yin	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Kalu, D N	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Kang, L	A simple fully integrated contact-coupled wear prediction for ultra-high molecular weight polyethylene hip implants	33
Khan, A	Validation of the soft tissue restraints in a force-controlled knee simulator	449
Kim, I Y	Mechanics of the passive knee joint. Part 1: the role of the tibial articular surfaces in guiding the passive motion	813
Kooloos, J	The stability of the femoral component of a minimal invasive total hip replacement system	465
Kotinas, A	*In vitro* validated finite element method model for a human skull and related craniofacial effects during rapid maxillary expansion	897
Kowalski, R S Z	Cementing techniques in hip resurfacing	321
LaBerge, M	Effect of lubricant composition on the fatigue properties of ultra-high molecular weight polyethylene for total knee replacement	541
LaBerge, M	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
Lai, T	The effect of angle on wall shear stresses in a LIMA to LAD anastomosis: numerical modelling of pulsatile flow	743
Lamberti, L	Structural behaviour of endodontically treated teeth under thermomechanical loading	909
Lampèrth, M	A review of magnetic resonance imaging compatible manipulators in surgery	413
Langton, C M	Three dimensional stereolithography models of cancellous bone structures from μCT data: testing and validation of finite element results	481
Lawrence, J	Albumin and fibronectin protein adsorption on CO_2-laser-modified biograde stainless steel	47
Learmonth, I D	Clinical experience with metal-on-metal total joint replacements: indications and results	229
Learmonth, I D	Numerical predictions of the thermal behaviour and resultant effects of grouting cements while setting prosthetic components in bone	625

 © IMechE 2006

Le Duff, M J	Background of metal-on-metal resurfacing	85
Lee, A J C	Development of the Mennen 3 PeriPro fixation plate for the treatment of periprosthetic fractures of the femur	775
Leonard, D	Validation of the small-punch test as a technique for characterizing the mechanical properties of acrylic bone cement	11
Li, J	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Lim, Soo T	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Lipman, J D	Influence of acetabular rim profile on hip dislocation	881
Little, E	Thermoelastic analysis of high-pressure angioplasty balloons	425
Liu, Feng	Importance of head diameter, clearance, and cup wall thickness in elastohydrodynamic lubrication analysis of metal-on-metal hip resurfacing prostheses	695
Loos, J	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
MacDonald, J P	*In vitro* validated finite element method model for a human skull and related craniofacial effects during rapid maxillary expansion	897
Madeley, J	The effect of leg fracture level and vehicle front-end geometry on pedestrian knee injury and response	857
Maher, S A	Influence of acetabular rim profile on hip dislocation	881
Marsden, H R	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583
Martinelli, B	A finite element method comparison of wear in two metal-on-metal total hip prostheses	871
Maubach, S	Lessons learned from early clinical experience and results of 300 ASR hip resurfacing implantations	345
McCormack, D	The use of the Zebris motion analysis system for measuring cervical spine movements *in vivo*	889
McMinn, D	History and modern concepts in surface replacement	239
McNally, D S	The effect of leg fracture level and vehicle front-end geometry on pedestrian knee injury and response	857
Meakins, S	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Medley, J B	The effect of microstructure on the wear of cobalt-based alloys used in metal-on-metal hip implants	145
Medley, J B	Wear particles from metal-on-metal total hip replacements: effects of implant design and implementation time	195
Meghdari, A	A new approach to C^2 continuous piecewise bicubic representation of the articular surfaces of diarthrodial joints	553
Mei, J P	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Minderhoud, N	The stability of the femoral component of a minimal invasive total hip replacement system	465
Morlock, M M	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Morlock, M M	Deformation of press-fitted metallic resurfacing cups. Part 2: finite element simulation	311
Morlock, M M	Biomechanical, morphological, and histological analysis of early failures in hip resurfacing arthroplasty	333
Morlock, M M	Lessons learned from early clinical experience and results of 300 ASR hip resurfacing implantations	345
Morsi, Y S	The effect of angle on wall shear stresses in a LIMA to LAD anastomosis: numerical modelling of pulsatile flow	743
Mullett, H	The use of the Zebris motion analysis system for measuring cervical spine movements *in vivo*	889
Nassutt, R	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
Nevelos, J	'Severe' wear challenge to 'as-cast' and 'double-heat-treated' large-diameter metal-on-metal hip bearings	135
Neville, A	Understanding the role of corrosion in the degradation of metal-on-metal implants	173
Ng, Eddie Y-K	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Nicholson, J W	The clinical repair of teeth using direct filling materials: engineering considerations	635
Oakeshott, R	Development rationale for an articular surface replacement: a science-based evolution	253
Oakland, R J	The biomechanical response of spinal cord tissue to uniaxial loading	489
Orr, J F	Validation of the small-punch test as a technique for characterizing the mechanical properties of acrylic bone cement	11
O'Sullivan, T	Development rationale for an articular surface replacement: a science-based evolution	253
Paavolainen, P	Cancer incidence and causes of death among total hip replacement patients: a review based on Nordic cohorts with a special emphasis on metal-on-metal bearings	399
Pace, T B	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
Pancanti, A	On the biomechanical stability of cementless straight conical hip stems	473
Panousis, K	Hip resurfacing arthroplasty: the evolution of contemporary designs	95

Pappalettere, C	Structural behaviour of endodontically treated teeth under thermomechanical loading	909
Pappas, C A	Development of the Mennen 3 PeriPro fixation plate for the treatment of periprosthetic fractures of the femur	775
Parsons, P	Deformation of press-fitted metallic resurfacing cups. Part 1: experimental simulation	299
Persson, C	Radiopacity of tantalum-loaded acrylic bone cement	787
Phillips, R	Three dimensional stereolithography models of cancellous bone structures from μCT data: testing and validation of finite element results	481
Pierotti, L	Radiopacity of tantalum-loaded acrylic bone cement	787
Podsiadlo, P	Automated classification of articular cartilage surfaces based on surface texture	831
Provatidis, C	*In vitro* validated finite element method model for a human skull and related craniofacial effects during rapid maxillary expansion	897
Pukkala, E	Cancer incidence and causes of death among total hip replacement patients: a review based on Nordic cohorts with a special emphasis on metal-on-metal bearings	399
Pulkkinen, P	Cancer incidence and causes of death among total hip replacement patients: a review based on Nordic cohorts with a special emphasis on metal-on-metal bearings	399
Qu, S F	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Quarini, G L	Numerical predictions of the thermal behaviour and resultant effects of grouting cements while setting prosthetic components in bone	625
Quinlan, J F	The use of the Zebris motion analysis system for measuring cervical spine movements *in vivo*	889
Qiu, Tian-Xia	Comparison of kinematics between thoracolumbar T11-T12 and T12-L1 functional spinal units	493
Rees, J S	The biomechanics of abfraction	69
Roberts, P	Hip resurfacing arthroplasty: the evolution of contemporary designs	95
Roberts, P	Importance of head diameter, clearance, and cup wall thickness in elastohydrodynamic lubrication analysis of metal-on-metal hip resurfacing prostheses	695
Rodriguez y Baena, F M	Preoperative planning and intraoperative guidance for accurate computer-assisted minimally invasive hip resurfacing surgery	759
Rooney, N	Intraoperative knee anthropometrics: correlation with cartilage wear	671
Ruther, W	Biomechanical, morphological, and histological analysis of early failures in hip resurfacing arthroplasty	333
Saikko, V	Effect of contact pressure on wear and friction of ultra-high molecular weight polyethylene in multidirectional sliding	723
Savalani, M M	Layer manufacturing for *in vivo* devices	505
Savalani, M M	Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development	521
Schmalzried, T P	Development rationale for an articular surface replacement: a science-based evolution	253
Schmalzreid, T P	The clinical significance of metal ion release from cobalt–chromium metal-on-metal hip joint arthroplasty	385
Scholes, S C	The tribology of metal-on-metal hip replacements	183
Scholes, S C	The effect of 'running in' on the tribology and surface morphology of a metal-on-metal Birmingham hip resurfacing device in simulator studies	269
Scholes, S C	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583
Scholes, S C	The effects of proteins on the friction and lubrication of artificial joints	687
Scott, C C	Design, validation, and utilization of an articular cartilage impact instrument	845
Shelton, J C	'Severe' wear challenge to 'as-cast' and 'double-heat-treated' large-diameter metal-on-metal hip bearings	135
Shelton, J C	Metal-on-metal hip simulator study of increased wear particle surface area due to 'severe' patient activity	279
Shetty, V D	Development and problems of metal-on-metal hip arthroplasty	371
Siebel, T	Development rationale for an articular surface replacement: a science-based evolution	253
Siebel, T	Lessons learned from early clinical experience and results of 300 ASR hip resurfacing implantations	345
Sisias, G	Three dimensional stereolithography models of cancellous bone structures from μCT data: testing and validation of finite element results	481
Smith, N	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583
Song, X F	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Sprecher, C	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
Stachowiak, G P	Automated classification of articular cartilage surfaces based on surface texture	831
Stachowiak, G W	Automated classification of articular cartilage surfaces based on surface texture	831

 © IMechE 2006

Stapleton, R	The use of the Zebris motion analysis system for measuring cervical spine movements *in vivo*	889
Stolk, J	Finite element analysis of the long-term fixation strength of cemented ceramic cups	533
Tager, G	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
Tan, Ru S	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Tanner, E	Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development	521
Tanner, S L	Increased total knee arthroplasty ultra-high molecular weight polyethylene wear using a clinically relevant hyaluronic acid simulator lubricant	609
Tao, Zhang	Custom fabrication of composite tibial hemi-knee joint combining CAD/CAE/CAM techniques	823
Taylor, M	Finite element analysis of the resurfaced femoral head	289
Teo, Ee-Chon	Comparison of kinematics between thoracolumbar T11-T12 and T12-L1 functional spinal units	493
Thomas, J B	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Thompson, J	Metal-on-metal bearings surfaces: materials, manufacture, design, optimization, and alternatives	119
Toni, A	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Traina, F	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Traina, F	On the biomechanical stability of cementless straight conical hip stems	473
Twigg, P	The role of the surface amorphous layer of articular cartilage in joint lubrication	597
Unsworth, A	The tribology of metal-on-metal hip replacements	183
Unsworth, A	The effect of 'running in' on the tribology and surface morphology of a metal-on-metal Birmingham hip resurfacing device in simulator studies	269
Unsworth, A	Compliant layer acetabular cups: friction testing of a range of materials and designs for a new generation of prosthesis that mimics the natural joint	583
Unsworth, A	The effects of proteins on the friction and lubrication of artificial joints	687
Vail, T	Development rationale for an articular surface replacement: a science-based evolution	253
Vail, T P	Clinical experience with metal-on-metal total joint replacements: indications and results	229
Van Houten, F J A M	Virtual reality and a haptic master–slave set-up in post-stroke upper-limb rehabilitation	715
van Houtem, M	Validation of the soft tissue restraints in a force-controlled knee simulator	449
Varano, R	The effect of microstructure on the wear of cobalt-based alloys used in metal-on-metal hip implants	145
Varini, E	On the biomechanical stability of cementless straight conical hip stems	473
Vassiliou, K	The effect of 'running in' on the tribology and surface morphology of a metal-on-metal Birmingham hip resurfacing device in simulator studies	269
Verdonschot, N	The stability of the femoral component of a minimal invasive total hip replacement system	465
Verdonschot, N	Finite element analysis of the long-term fixation strength of cemented ceramic cups	533
Viceconti, M	The predictive power of surface profile parameters on the amount of wear measured *in vitro* on metal-on-polyethylene artificial hip joints	457
Viceconti, M	On the biomechanical stability of cementless straight conical hip stems	473
Villar, R N	Development and problems of metal-on-metal hip arthroplasty	371
Visuri, T I	Cancer incidence and causes of death among total hip replacement patients: a review based on Nordic cohorts with a special emphasis on metal-on-metal bearings	399
Wang, L	Effects of ageing on the biomechanical properties of rat articular cartilage	573
Watins, N D	Cementing techniques in hip resurfacing	321
Weernink, T	The stability of the femoral component of a minimal invasive total hip replacement system	465
Wilcox, R K	The biomechanical response of spinal cord tissue to uniaxial loading	489
Wilcox, R K	The biomechanical effect of vertobroplasty on the adjacent vertebral body: a finite element study	565
Willems, M M M	The stability of the femoral component of a minimal invasive total hip replacement system	465
Williams, R J	Trial fitting of a removable partial denture framework made using computer-aided design and rapid prototyping techniques	793
Williams, S	Metal-on-metal bearings surfaces: materials, manufacture, design, optimization, and alternatives	119
Williams, P A	'Severe' wear challenge to 'as-cast' and 'double-heat-treated' large-diameter metal-on-metal hip bearings	135
Williams, P A	Metal-on-metal hip simulator study of increased wear particle surface area due to 'severe' patient activity	279
Wimmer, M A	Investigation on stick phenomena in metal-on-metal hip joints after resting periods	219
Wood, D J	Indirect selective laser sintering of an apatite–mullite glass–ceramic for potential use in bone replacement applications	57

Woodward, A	Trial fitting of a removable partial denture framework made using computer-aided design and rapid prototyping techniques	793
Wyss, U	Mechanics of the passive knee joint. Part 1: the role of the tibial articular surfaces in guiding the passive motion	813
Xu, Dong Hao	Three-dimensional finite element stress and strain analysis of a transfemoral osseointegration implant	661
Xu, Wei	Three-dimensional finite element stress and strain analysis of a transfemoral osseointegration implant	661
Yan, Y	Understanding the role of corrosion in the degradation of metal-on-metal implants	173
Yang, Z Y	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Yew, A	Deformation of press-fitted metallic resurfacing cups. Part 2: finite element simulation	311
Yin, L	Performance evaluation of a dental handpiece in simulation of clinical finishing using a novel 2DOF *in vitro* apparatus	929
Young, P G	Development of the Mennen 3 PeriPro fixation plate for the treatment of periprosthetic fractures of the femur	775
Yue, S	The effect of microstructure on the wear of cobalt-based alloys used in metal-on-metal hip implants	145
Zhang, Qing-Hang	Comparison of kinematics between thoracolumbar T11-T12 and T12-L1 functional spinal units	493
Zhang, Y	Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development	521
Zhen, Wang	Custom fabrication of composite tibial hemi-knee joint combining CAD/CAE/CAM techniques	823
Zhong, Liang	Explaining left ventricular pressure dynamics in terms of LV passive and active elastances	647
Zivanovic, A	A review of magnetic resonance imaging compatible manipulators in surgery	413

© IMechE 2006